



PROGRAM ASSISTANCE LETTER

DOCUMENT NUMBER: 2015-01

DATE: November 25, 2014

DOCUMENT TITLE: Proposed Uniform Data System Changes for Calendar Year 2015

TO: Health Centers
Primary Care Associations
Primary Care Offices
National Cooperative Agreements

I. BACKGROUND

This Program Assistance Letter (PAL) provides information on the Health Resources and Services Administration's (HRSA) proposed changes to the calendar year (CY) 2015 Uniform Data System (UDS) to be reported by Health Center Program grantees and look-alikes in early 2016. They are also announced in the Federal Register. You are invited to submit your comments on the proposed changes directly to HRSA in order that they may be considered during the public comment review process.

II. PROPOSED CHANGES FOR CY 2015 UDS REPORTING

1. *Patient Characteristics*

Table 4 – The number of dually eligible Medicare and Medicaid patients is reported on table 4, line 9a.

Rationale: Currently the UDS does not capture dual (Medicaid and Medicare) beneficiaries. The Bureau of Primary Health Care is anticipating growth in older adult patients for the Health Center Program as a result of an aging US population. Given that health centers serve a large proportion of patients living in poverty, it is likely that the older adult patients that will be cared for by health centers will be dual beneficiaries. Collection of dual beneficiaries data will provide more specific information on health center patients to improve the responsiveness of care delivery and for targeted technical assistance on health center quality improvement initiatives.

2. *Quality of Care Measures*

Table 6B – The number of children age 6-9 years at “elevated” risk for cavities who received a dental sealant on a permanent first molar tooth is reported on table 6B, line 22.

Rationale: Oral health improvement and integration of oral health into primary care are HRSA priorities. Dental sealants act as a barrier to prevent cavities. This oral health measure has scientifically demonstrated to prevent 60% fewer new decay and is endorsed by the National Quality Forum (NQF).

3. *Health Outcomes and Disparities Measures*

Table 7 – Health Outcomes and Disparities has been modified by revising the diabetes control measure to no longer require reporting for $8\% \leq \text{HbA1c} \leq 9\%$. Only collect and report on $\text{HbA1c} < 8\%$ and $\text{HbA1c} > 9\%$.

Rationale: Revision of the UDS diabetes control measure supports HRSA BPHC’s clinical quality improvement initiatives and improves measurement alignment with the National Quality Forum (NQF). $\text{HbA1c} > 9\%$ is an indicator of poor diabetes control and aligns with Healthy People 2020. The HP 2020 objective is “reduce the proportion of persons with diabetes with an $\text{HbA1c} > 9\%$.”

III. ICD 10 TRANSITION

The U.S. Department of Health and Human Services (HHS) released a final rule on July 31, 2014 that requires the use of ICD-10 beginning October 1, 2015 (<http://cms.hhs.gov/Newsroom/MediaReleaseDatabase/Press-releases/2014-Press-releases-items/2014-07-31.html>). The rule will require Health Insurance Portability and Accountability Act (HIPAA) covered entities to continue to use ICD-9 CM through September 30, 2015. The UDS reporting requirements will follow the revised ICD-10 implementation schedule; reporting information will be released shortly in 2015.

IV. CONTACTS

If you have any questions or comments regarding the proposed changes to the CY 2015 UDS, please contact the Office of Quality and Data at OQDComments@hrsa.gov or 301-594-0818.

Attachments:

1. Proposed Changes to UDS Tables 4, 6B, and 7

ATTACHMENT 1 – Proposed changes to UDS Tables (shown in bold italics)

Reporting Period: January 1, 2015 through December 31, 2015

TABLE 4 – SELECTED PATIENT CHARACTERISTICS

CHARACTERISTIC		NUMBER OF PATIENTS (a)				
INCOME AS PERCENT OF POVERTY LEVEL						
1.	100% and below					
2.	101 – 150%					
3.	151 – 200%					
4.	Over 200%					
5.	Unknown					
6.	TOTAL (SUM LINES 1 – 5)					
PRINCIPAL THIRD PARTY MEDICAL INSURANCE SOURCE		0-17 YEARS OLD (a)		18 AND OLDER (b)		
7.	None/ Uninsured					
8a.	Regular Medicaid (Title XIX)					
8b.	CHIP Medicaid					
8.	TOTAL MEDICAID (LINE 8A + 8B)					
9.	MEDICARE (TITLE XVIII)					
9a.	<i>Dually eligible (Medicare + Medicaid) (This is a subset of line 9)</i>					
10a.	Other Public Insurance Non-CHIP (specify:)					
10b.	Other Public Insurance CHIP					
10.	TOTAL PUBLIC INSURANCE (LINE 10a + 10b)					
11.	PRIVATE INSURANCE					
12.	TOTAL (SUM LINES 7 + 8 + 9 + 10 + 11)					
MANAGED CARE UTILIZATION						
Payor Category		MEDICAID (a)	MEDICARE (b)	OTHER PUBLIC INCLUDING NON- MEDICAID CHIP (c)	PRIVATE (d)	TOTAL (e)
13a.	Capitated Member months					
13b.	Fee-for-service Member months					
13c.	TOTAL MEMBER MONTHS (13a + 13b)					
CHARACTERISTICS – SPECIAL POPULATIONS				NUMBER OF PATIENTS -- (a)		
14.	Migratory	(330g grantees only)				
15.	Seasonal	(330g grantees only)				
16.	TOTAL AGRICULTURAL WORKERS OR DEPENDENTS (ALL GRANTEES REPORT THIS LINE)					
17.	Homeless Shelter	(330h grantees only)				
18.	Transitional	(330h grantees only)				
19.	Doubling Up	(330h grantees only)				
20.	Street	(330h grantees only)				
21.	Other	(330h grantees only)				
22.	Unknown	(330h grantees only)				

CHARACTERISTIC		NUMBER OF PATIENTS (a)
INCOME AS PERCENT OF POVERTY LEVEL		
23.	TOTAL HOMELESS (ALL GRANTEES REPORT THIS LINE)	
24.	TOTAL SCHOOL BASED HEALTH CENTER PATIENTS (ALL GRANTEES REPORT THIS LINE)	
25.	TOTAL VETERANS (ALL GRANTEES REPORT THIS LINE)	
26.	TOTAL PUBLIC HOUSING PATIENTS (ALL HEALTH CENTERS REPORT THIS LINE)	

TABLE 6B – QUALITY OF CARE MEASURES

SECTION A: AGE CATEGORIES FOR PRENATAL PATIENTS				
DEMOGRAPHIC CHARACTERISTICS OF PRENATAL CARE PATIENTS				
AGE		NUMBER OF PATIENTS (a)		
1	LESS THAN 15 YEARS			
2	AGES 15-19			
3	AGES 20-24			
4	AGES 25-44			
5	AGES 45 AND OVER			
6	TOTAL PATIENTS (SUM LINES 1 – 5)			
SECTION B – TRIMESTER OF ENTRY INTO PRENATAL CARE				
TRIMESTER OF FIRST KNOWN VISIT FOR WOMEN RECEIVING PRENATAL CARE DURING REPORTING YEAR		Women Having First Visit with Health Center (a)	Women Having First Visit with Another Provider (b)	
7	First Trimester			
8	Second Trimester			
9	Third Trimester			
SECTION C – CHILDHOOD IMMUNIZATION				
CHILDHOOD IMMUNIZATION		TOTAL NUMBER OF PATIENTS WITH 3 RD BIRTHDAY DURING MEASUREMENT YEAR (a)	NUMBER CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS IMMUNIZED (c)
10	MEASURE: Children who have received age appropriate vaccines prior to their 3 rd birthday during measurement year (on or prior to December 31)			
SECTION D – CERVICAL CANCER SCREENING				
PAP TESTS		TOTAL NUMBER OF FEMALE PATIENTS 24-64 YEARS OF AGE (a)	NUMBER CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS TESTED (c)
11	MEASURE: Female patients aged 24-64 who received one or more Pap tests to screen for cervical cancer			

SECTION E – WEIGHT ASSESSMENT AND COUNSELING FOR CHILDREN AND ADOLESCENTS				
CHILD AND ADOLESCENT WEIGHT ASSESSMENT AND COUNSELING		TOTAL PATIENTS AGED 3 – 17 ON DECEMBER 31 (a)	NUMBER CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS WITH COUNSELING AND BMI DOCUMENTED (c)
12	MEASURE: Children and adolescents aged 3 until 17 during measurement year (on or prior to 31 December) with a BMI percentile, and counseling on nutrition and physical activity documented for the current year			
SECTION F – ADULT WEIGHT SCREENING AND FOLLOW-UP				
ADULT WEIGHT SCREENING AND FOLLOW-UP		TOTAL PATIENTS AGED 18 AND OLDER (a)	NUMBER CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS WITH BMI CHARTED AND FOLLOW-UP PLAN DOCUMENTED AS APPROPRIATE (c)
13	MEASURE: Patients aged 18 and older with (1) BMI charted and (2) follow-up plan documented if patients are overweight or underweight			
SECTION G – TOBACCO USE SCREENING AND CESSATION INTERVENTION				
TOBACCO USE SCREENING AND CESSATION INTERVENTION		TOTAL PATIENTS AGED 18 AND OLDER (a)	NUMBER CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS ASSESSED FOR TOBACCO USE AND PROVIDED INTERVENTION IF A TOBACCO USER (c)
14a	MEASURE: Patients aged 18 and older who (1) were screened for tobacco use one or more times in the measurement year or the prior year AND (2) for those found to be a tobacco user, received cessation counseling intervention or medication			

SECTION H – ASTHMA PHARMACOLOGICAL THERAPY				
ASTHMA TREATMENT PLAN		TOTAL PATIENTS AGED 5 - 40 WITH PERSISTENT ASTHMA (a)	NUMBER CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS WITH ACCEPTABLE PLAN (c)
16	MEASURE: Patients aged 5 through 40 diagnosed with persistent asthma who have an acceptable pharmacological treatment plan			
SECTION I – CORONARY ARTERY DISEASE (CAD): LIPID THERAPY				
LIPID THERAPY		TOTAL PATIENTS AGED 18 AND OLDER WITH CAD DIAGNOSIS (a)	NUMBER CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS PRESCRIBED A LIPID LOWERING THERAPY (c)
17	MEASURE: Patients aged 18 and older with a diagnosis of CAD who were prescribed a lipid lowering therapy			
SECTION J – ISCHEMIC VASCULAR DISEASE (IVD): ASPIRIN OR ANTITHROMBOTIC THERAPY				
ASPIRIN OR OTHER ANTITHROMBOTIC THERAPY		TOTAL PATIENTS 18 AND OLDER WITH IVD DIAGNOSIS OR AMI, CABG, OR PTCA PROCEDURE (a)	CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS WITH ASPIRIN OR OTHER ANTITHROMBOTIC THERAPY (c)
18	MEASURE: Patients aged 18 and older with a diagnosis of IVD or AMI, CABG, or PTCA procedure with aspirin or another antithrombotic therapy			
SECTION K – COLORECTAL CANCER SCREENING				
COLORECTAL CANCER SCREENING		TOTAL PATIENTS 51 THROUGH 74 YEARS OF AGE (a)	CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS WITH APPROPRIATE SCREENING FOR COLORECTAL CANCER (c)
19	MEASURE: Patients age 51 through 74 years of age during measurement year (on or prior to 31 December) with appropriate screening for colorectal cancer			

SECTION L – HIV LINKAGE TO CARE				
HIV LINKAGE TO CARE		TOTAL PATIENTS FIRST DIAGNOSED WITH HIV (a)	CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS SEEN WITHIN 90 DAYS OF FIRST DIAGNOSIS OF HIV (c)
20	MEASURE: Patients whose first ever HIV diagnosis was made by health center staff between October 1 of the prior year and September 30 of the measurement year and who were seen for follow-up treatment within 90 days of that first ever diagnosis			
SECTION M – PATIENTS SCREENED FOR DEPRESSION AND FOLLOW-UP				
PATIENTS SCREENED FOR DEPRESSION AND FOLLOW-UP		TOTAL PATIENTS AGED 12 AND OLDER (a)	CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS SCREENED FOR DEPRESSION AND FOLLOW-UP PLAN DOCUMENTED AS APPROPRIATE (c)
21	MEASURE: Patients aged 12 and older who were (1) screened for depression with a standardized tool <u>and if screening was positive</u> (2) had a follow-up plan documented			
SECTION N – SEALANTS TO FIRST MOLARS				
SEALANTS TO FIRST MOLARS		TOTAL PATIENTS AGED 6 THROUGH 9 (a)	CHARTS SAMPLED OR EHR TOTAL (b)	NUMBER OF PATIENTS WITH SEALANTS TO FIRST MOLARS (c)
22	MEASURE: Children age 6-9 years at “elevated” risk who received a sealant on a permanent first molar tooth			

Reporting Period: January 1, 2015 through December 31, 2015

TABLE 7 – HEALTH OUTCOMES AND DISPARITIES

Section A: Deliveries and Birth Weight by Race and Hispanic/Latino Ethnicity

0	HIV Positive Pregnant Women					
2	Deliveries Performed by Grantee’s Providers					
Line #	Race and Ethnicity	Prenatal Care Patients Who Delivered During the Year (1a)	Live Births: <1500 grams (1b)	Live Births: 1500-2499 grams (1c)	Live Births: =>2500 grams (1d)	
Hispanic/Latino						
1a	Asian					
1b1	Native Hawaiian					
1b2	Other Pacific Islander					
1c	Black/African American					
1d	American Indian/Alaska Native					
1e	White					
1f	More than One Race					
1g	Unreported/Refused to Report Race					
	<i>Subtotal Hispanic/Latino</i>					
Non-Hispanic/Latino						
2a	Asian					
2b1	Native Hawaiian					
2b2	Other Pacific Islander					
2c	Black/African American					
2d	American Indian/Alaska Native					
2e	White					
2f	More than One Race					
2g	Unreported/Refused to Report Race					
	<i>Subtotal Non-Hispanic/Latino</i>					
Unreported/Refused to Report Ethnicity						
h	Unreported/Refused to Report Race and Ethnicity					
i	Total					

TABLE 7 – HEALTH OUTCOMES AND DISPARITIES
 Section B: Hypertension by Race and Hispanic/Latino Ethnicity

#	Race and Ethnicity	Total Hypertensive Patients (2a)	Charts Sampled or EHR Total (2b)	Patients with HTN Controlled (2c)
Hispanic/Latino				
1a	Asian			
1b1	Native Hawaiian			
1b2	Other Pacific Islander			
1c	Black/African American			
1d	American Indian/Alaska Native			
1e	White			
1f	More than One Race			
1g	Unreported/Refused to Report Race			
	<i>Subtotal Hispanic/Latino</i>			
Non-Hispanic/Latino				
2a	Asian			
2b1	Native Hawaiian			
2b2	Other Pacific Islander			
2c	Black/African American			
2d	American Indian/Alaska Native			
2e	White			
2f	More than One Race			
2g	Unreported/Refused to Report Race			
	<i>Subtotal Non-Hispanic/Latino</i>			
Unreported/Refused to Report Ethnicity				
h	Unreported/Refused to Report Race and Ethnicity			
i	Total			

TABLE 7 – HEALTH OUTCOMES AND DISPARITIES

Column (3e), Patients with 8%≤HbA1c≤9% has been deleted in the table below.

Section C: Diabetes by Race and Hispanic/Latino Ethnicity

#	Race and Ethnicity	Total Patients with Diabetes (3a)	Charts Sampled or EHR Total (3b)	Patients with Hba1c <8% (3d1)	Patients with Hba1c >9% Or No Test During Year (3f)
Hispanic/Latino					
1a	Asian				
1b1	Native Hawaiian				
1b2	Other Pacific Islander				
1c	Black/African American				
1d	American Indian/Alaska Native				
1e	White				
1f	More than One Race				
1g	Unreported/Refused to Report Race				
	<i>Subtotal Hispanic/Latino</i>				
Non-Hispanic/Latino					
2a	Asian				
2b1	Native Hawaiian				
2b2	Other Pacific Islander				
2c	Black/African American				
2d	American Indian/Alaska Native				
2e	White				
2f	More than One Race				
2g	Unreported/Refused to Report Race				
	<i>Subtotal Non-Hispanic/Latino</i>				
Unreported/Refused to Report Ethnicity					
h	Unreported/Refused to Report Race and Ethnicity				
i	Total				